

CODING AND BILLING GUIDE

POSSIBLE CODING OPTIONS FOR COSELA FOR INJECTION, FOR INTRAVENOUS USE

PERMANENT J CODE

Effective: 10/1/2021

HCPCS Level II code1:

J1448 Injection, trilaciclib, 1 mg

CPT® codes2:

96365 Intravenous (IV) infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour

This guide provides coding and reimbursement information for COSELA® (trilaciclib)

FIND IN THIS GUIDE

- Overview of codes (NDC, ICD-10-CM, CPT and HCPCS)
- Appendix:
 - Sample annotated physician office billing CMS-1500
 - Sample annotated hospital outpatient billing CMS-1450/UB-04
- G1 to One® Patient Support Program information

Pharmacosmos Therapeutics provides this material for informational purposes only. This material is not an affirmative instruction as to the appropriate code(s) and modifier(s) to use for a particular service, supply, procedure, or treatment. Physicians and providers are responsible for determining and submitting appropriate codes, modifiers, and claims for all services they render and for determining that those services were reasonable and necessary. Actual codes and/or modifiers used are done so at the sole discretion of the treating physician or facility. You should contact your local payer for the most recent and specific coding and coverage guidelines, and reimbursement applicable to you. Pharmacosmos Therapeutics makes no guarantee regarding medical benefit coverage or reimbursement from any payer. Information included in this material was obtained from third-party sources and is accurate as of the time of its publication but is subject to change without notice.

CPT codes, descriptions, and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSAR apply.



Summary of Possible Coding and Billing for COSELA

Once COSELA® (trilaciclib) has been administered to a patient, you may submit a claim to the patient's health plan. Correct coding is essential for timely claims processing and reimbursement. Important codes include the following:

DISPENSING PACK QUANTITY	1 vial/carton	
NDC 10 NDC 11 (for billing purposes)	73462-101-01 73462-0101-01	
HCPCS LEVEL II CODE ¹	J1448 Injection, trilaciclib, 1 mg Effective: 10/1/2021	
CPT® CODES²	96365 Intravenous infusion for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	
DESCRIPTION ⁴	COSELA® (trilaciclib) 300 mg (equivalent to 349 mg of trilaciclib dihydrochloride)	

National Drug Code (NDC)

COSELA NDC numbers are listed below. Please note that converting the 10-digit NDC to an 11-digit NDC requires the use of a leading zero in the product code or middle section of the NDC.

COSELA PACKAGE SIZE	NDC⁵	
Zin v.15 in (conton cinc)	10-digit: 73462-101-01	
3 in. x 1.5 in. (carton size)	11-digit: 73462-0101-01	

International Classification of Disease, 10th Revision, Clinical Modification (ICD-10-CM)

ICD-10-CM codes are used to report a patient's diagnosis on claim submissions. The following ICD-10-CM codes may describe diagnoses for patients treated with COSELA. Be sure to use the correct coding when submitting a claim for the item or service.

ICD-10-CM ⁶	DESCRIPTION
C34.00	Malignant neoplasm of unspecified main bronchus
C34.01	Malignant neoplasm of right main bronchus
C34.02	Malignant neoplasm of left main bronchus
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung
C34.20	Malignant neoplasm of middle lobe, bronchus or lung

CPT codes, descriptions, and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSAR apply.



International Classification of Disease, 10th Revision, Clinical Modification (ICD-10-CM)

ICD-10-CM	DESCRIPTION
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung

Current Procedural Terminology (CPT®)

Most health plans cover IV therapies under their medical benefit. CPT codes are used to identify services and procedures provided by healthcare practitioners. The chart below lists the potential CPT code for your reference when submitting claims for COSELA.

CPT CODES ²	DESCRIPTION	
96365	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	

CPT codes, descriptions, and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSAR apply.

Healthcare Common Procedure Coding System (HCPCS)

HCPCS codes, like the permanent J Code for COSELA below, are used by commercial insurers and government payers to standardize claims submissions and medication reimbursement. Please contact the insurer or G1 to One at 1-833-G1toOne (1-833-418-6663) for additional info.

HCPCS CODES ¹	DESCRIPTION	
J1448	Injection, trilaciclib, 1 mg	

PAYER SPECIFICS To find your Medicare Part B DME MAC jurisdiction, visit the CMS website.

References: 1. Centers for Medicare & Medicaid Services. Healthcare Common Procedure Coding System (HCPCS) Application Summaries and Coding Decisions: Second Quarter, 2021 Coding Cycle for Drug and Biological Products. https://www.cms.gov/files/document/2021-hcpcs-application-summary-quarter-2-2021-drugs-and-biologics-updated-08062021.pdf. Accessed August 22, 2022. 2. American Academy of Professional Coders website. 2021 CPT Code 96365. https://www.aapc.com/codes/cpt-codes/96365. Accessed August 22, 2022. 3. Centers for Medicare & Medicaid Services. 2022 ICD-10-PCS Code Tables And Index. https://www.cms.gov/medicare/icd-10/2022-icd-10-pcs. Accessed August 22, 2022. 4. COSELA (trilaciclib). Prescribing Information. Pharmacosmos Therapeutics Inc.; 2023. 5. Data on File. Pharmacosmos Therapeutics Inc.; 2022. 6. Centers for Medicare & Medicaid Services. 2022 ICD-10-CM Code Tables, Tabular and Index. https://www.cms.gov/medicare/icd-10/2022-icd-10-cm. Accessed August 22, 2022.

CPT codes, descriptions, and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSAR apply.




Coding Resource CMS-1500 Annotated Claim Form

It's important to include the drug name, NDC, and dose given in Item 19 when filling out the CMS-1500 form. Confirm with each patient's health plan, as the information required may vary.

PEROVED BY NATIONAL UNIFORM CLAIM COMMITTEE (NUCC) 02/12		CARRIER —⊁	Prescribers use this form when billing insurers for medication administered in the physician's office and for their professional services.
PICA		PICA TITLE	
1. MEDICARE MEDICAID TRICARE CHAMP\ X (Medicare#) (Medicaid#) (ID#/DoD#) (Member)	GROUP FECA OTHER HEALTH PLAN BLKLUNG (ID#) J. PATIENT'S BIRTH DATE SEX	12. INSURED'S I.D. NUMBER (For Program in Item 1)	The suggestions contained on
2. PATIENT'S NAME (Last Name, First Name, Middle Initial) Smith, Karen A.	3. PATIENT'S BIRTH DATE SEX 03 14 49 M F X	4. INSURED'S NAME (Last Name, First Name, Middle Initial) Smith, Karen A.	this form are for example only
5. PATIENT'S ADDRESS (No., Street)	6. PATIENT RELATIONSHIP TO INSURED	7. INSURED'S ADDRESS (No., Street)	and PharmacosmosTherapeutics
123 Main St.	Self X Spouse Child Other 8. RESERVED FOR NUCC USE	123 Main St.	makes no representation that the
New York NY	Wilesenses on the second	New York NY	information is accurate
ZIP CODE TELEPHONE (Include Area Code) (212)555-6789		TELEPHONE (Include Area Code) 10001 (212) 555-6789	or that it will comply with the
9. OTHER INSURED'S NAME (Last Name, First Name, Middle Initial)	10, IS PATIENT'S CONDITION RELATED TO:	_	requirements of any particular
a, OTHER INSURED'S POLICY OR GROUP NUMBER	a. EMPLOYMENT? (Current or Previous)	a. INSURED'S DATE OF BIRTH SEX	payer/insurer. Providers
b. RESERVED FOR NUCC USE	yes X NO		are solely responsible for
	YES X NO L		determining the billing and
c. RESERVED FOR NUCC USE	c. OTHER ACCIDENT? YES X NO	G. INSURANCE PLAN NAME OR PROGRAM NAME LY LY G. IS THERE ANOTHER HEALTH BENEFIT PLAN?	coding requirements applicable
d. INSURANCE PLAN NAME OR PROGRAM NAME	10d. CLAIM CODES (Designated by NUCC)		to any payer/insurer. The
READ BACK OF FORM BEFORE COMPLETIN	G & SIGNING THIS FORM.	YES X NO If yes, complete items 9, 9a, and 9d, 13. INSURED'S OR AUTHORIZED PERSON'S SIGNATURE I authorize	
 PATIENT'S OR AUTHORIZED PERSON'S SIGNATURE I authorize the to process this claim. I also request payment of government benefits either 	release of any medical or other information necessary to myself or to the party who accepts assignment	payment of medical benefits to the undersigned physician or supplier for services described below.	information provided here
SIGNED Karen Smith	DATE MM/DD/YY	signed Karen Smith	is not intended to be conclusive
14. DATE OF CURRENT ILLNESS, INJURY, or PREGNANCY (LMP) 15.	OTHER DATE MM DD YY	16. DATES PATIENT UNABLE TO WORK IN CURRENT OCCUPATION MM DD YY	or exhaustive, and is not intended
ITITI DD I I GOALL	AL.	FROM TO 18. HOSPITALIZATION DATES RELATED TO CURRENT SERVICES, MM DD YY M	to replace the guidance of
19. ADDITIONAL CLAIM INFORMATION (Designated by NUCC)	b. NPI	FROM TO	a qualified professional advisor.
13. ADDITIONAL CEANWING ON A TION (Designated by NOCC)		X YES NO	Pharmacosmos Therapeutics
21. DIAGNOSIS OR NATURE OF ILLNESS OR INJURY Relate A-L to sen	vice line below (24E) ICD Ind.	22. RESUBMISSION ORIGINAL REF. NO.	makes no warranties or guarantee
A. L B. L C. L E. L F. L G. L	D	23. PRIOR AUTHORIZATION NUMBER	expressed or implied, concerning
1.1 K.1 24. A. DATE(S) OF SERVICE B. C. D. PROCE	EDURES, SERVICES, OR SUPPLIES E.	F. G. H. I. J. 7	the accuracy or appropriateness
From To PLACE OF (Expl. MM DD YY MM DD YY SERVICE EMG CPT/HCF	ain Unusual Circumstances) DIAGNOSI	S CHARGES ON SPRING OLAL PROVIDER ID. I SENDENCE OLAR PROVIDER ID. I SENDE	of this information for your
N473462010101ME1 MM DD YY MM DD YY J144	48	Jan	particular use. The use of this
,55,11,1,55,11	.~	NFO	information does not guarantee
		NPI H	payment or that any payment
		NPI NPI	received will cover your costs.
		NPI NPI	Teocived will cover your costs.
		NA	<u> </u>
		NPI DISA	
25. FEDERAL TAX I.D. NUMBER SSN EIN 26. PATIENT'S	ACCOUNT NO. 27. ACCEPT ASSIGNMENT?	NPI NPI 30. Rsvd for NUCC Use	
12345 🔲 🗆 12345	YES NO	s s	1 18: 10.1(3)
INCLUDING DEGREES OR CREDENTIALS	ACILITY LOCATION INFORMATION	33. BILLING PROVIDER INFO & PH # ()	Input Diagnosis Code(s) here
apply to the bill and are made a part mercolly	y Specialists of Springfield St., Springfield Anytown USA	Oncology Specialists of Springfield 123 Main St., Springfield Anytown USA	
John Doe Mondolyy	b.	a. ND t	Complete Sections E-J



Coding Resource UB-04 Annotated Claim Form



Hospitals use this form when billing insurers for medication administered in the inpatient or outpatient setting. Outpatient hospitals should bill with the appropriate revenue code.

The suggestions contained on this form are for example only and Pharmacosmos Therapeutics makes no representation that the information is accurate or that it will comply with the requirements of any particular payer/insurer. Providers are solely responsible for determining the billing and coding requirements applicable to any paver/insurer. The information provided here is not intended to be conclusive or exhaustive, and is not intended to replace the guidance of a qualified professional advisor. Pharmacosmos Therapeutics makes no warranties or quarantees, expressed or implied, concerning the accuracy or appropriateness of this information for your particular use. The use of this information does not guarantee payment or that any payment received will cover your costs.

Enter detailed drug description: the N4 indicator, the 11-digit National Drug Code (NDC), a code describing the unit of measurement qualifier (eg, ME for milligrams), and the unit quantity. Example: N473462010101ME1

Input Diagnosis Code(s) here





The G1 to One® Patient Support Program Your single source for access and affordability solutions

G1 to One offers a suite of solutions to common access and reimbursement hurdles, such as:



Benefits verifications for patient coverage and out-of-pocket responsibilities



Providing payer-specific guidance for prior authorizations and appeals to address patient needs



Offering solutions for insurance-related delays



Connecting patients, regardless of insurance type, to resources that address high deductibles, co-pays/coinsurance, or even a lack of coverage*

Complete and submit the form to enroll patients in G1 to One. Download the enrollment form at www.G1toOne.com. Fax the completed form to 1-833-FAX-G121 (1-833-329-4121).



Call us with questions at 1-833-G1toOne (1-833-418-6663), Monday—Friday or email us at **Enroll@G1toOne.com**. Visit **www.G1toOne.com** for additional information.

*Patients must express need and meet certain eligibility requirements.





INDICATION

COSELA is indicated to decrease the incidence of chemotherapy-induced myelosuppression in adult patients when administered prior to a platinum/etoposide-containing regimen or topotecan-containing regimen for extensive-stage small cell lung cancer (ES-SCLC).

IMPORTANT SAFETY INFORMATION

CONTRAINDICATION

· COSELA is contraindicated in patients with a history of serious hypersensitivity reactions to trilaciclib.

WARNINGS AND PRECAUTIONS

Injection-Site Reactions, Including Phlebitis and Thrombophlebitis

• COSELA administration can cause injection-site reactions, including phlebitis and thrombophlebitis, which occurred in 56 (21%) of 272 patients receiving COSELA in clinical trials, including Grade 2 (10%) and Grade 3 (0.4%) adverse reactions. Monitor patients for signs and symptoms of injection-site reactions, including infusion-site pain and erythema during infusion. For mild (Grade 1) to moderate (Grade 2) injection-site reactions, flush line/cannula with at least 20 mL of sterile 0.9% Sodium Chloride Injection, USP or 5% Dextrose Injection, USP after end of infusion. For severe (Grade 3) or life-threatening (Grade 4) injection-site reactions, stop infusion and permanently discontinue COSELA. Injection-site reactions led to discontinuation of treatment in 3 (1%) of the 272 patients.

Acute Drug Hypersensitivity Reactions

COSELA administration can cause acute drug hypersensitivity reactions, which occurred in 16 (6%) of 272 patients receiving COSELA in clinical trials, including Grade 2 reactions (2%). Monitor patients for signs and symptoms of acute drug hypersensitivity reactions. For moderate (Grade 2) acute drug hypersensitivity reactions, stop infusion and hold COSELA until the adverse reaction recovers to Grade ≤1. For severe (Grade 3) or life-threatening (Grade 4) acute drug hypersensitivity reactions, stop infusion and permanently discontinue COSELA.

Interstitial Lung Disease/Pneumonitis

 Severe, life-threatening, or fatal interstitial lung disease (ILD) and/or pneumonitis can occur in patients treated with cyclin-dependent kinases (CDK)4/6 inhibitors, including COSELA, with which it occurred in 1(0.4%) of 272 patients receiving COSELA in clinical trials.
 Monitor patients for pulmonary symptoms of ILD/pneumonitis. For recurrent moderate (Grade 2) ILD/pneumonitis, and severe (Grade 3) or life-threatening (Grade 4) ILD/pneumonitis, permanently discontinue COSELA.

Embryo-Fetal Toxicity

Based on its mechanism of action, COSELA can cause fetal harm when administered to a pregnant woman. Females of reproductive
potential should use an effective method of contraception during treatment with COSELA and for at least 3 weeks after the final dose.

ADVERSE REACTIONS

- Serious adverse reactions occurred in 30% of patients receiving COSELA. Serious adverse reactions reported in >3% of patients who
 received COSELA included respiratory failure, hemorrhage, and thrombosis.
- Fatal adverse reactions were observed in 5% of patients receiving COSELA. Fatal adverse reactions for patients receiving COSELA included pneumonia (2%), respiratory failure (2%), acute respiratory failure (<1%), hemoptysis (<1%), and cerebrovascular accident (<1%).
- Permanent discontinuation due to an adverse reaction occurred in 9% of patients who received COSELA. Adverse reactions leading
 to permanent discontinuation of any study treatment for patients receiving COSELA included pneumonia (2%),
 injection-site reaction, thrombocytopenia, cerebrovascular accident, ischemic stroke, infusion-related reaction, respiratory failure,
 and myositis (<1% each).
- Infusion interruptions due to an adverse reaction occurred in 4.1% of patients who received COSELA.
- The most common adverse reactions (≥10%) were fatigue, hypocalcemia, hypokalemia, hypophosphatemia, aspartate aminotransferase increased, headache, and pneumonia.

DRUG INTERACTIONS

• COSELA is an inhibitor of OCT2, MATE1, and MATE-2K. Co-administration of COSELA may increase the concentration or net accumulation of OCT2, MATE1, and MATE-2K substrates in the kidney (e.g., dofetilide, dalfampridine, and cisplatin).

To report suspected adverse reactions, contact Pharmacosmos Therapeutics at 1-800-790-4189 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

This information is not comprehensive. Please see the full Prescribing Information.



